


ROTATION  
AS SHOWN FOR  
CALLOUT OF  
TORQUE  
CCW < CW



REVISION RECORD

SYM	DESCRIPTION	BY	DATE	APPD
A	RELEASED FOR MANUFACTURE.	RMF	11/11/02	DJC

TORQUE

LOW

CW

7.5 - 13.5 lb. in

MEDIUM

CW

13.5 - 18.0 lb. in

HIGH

CW

18.0 - 22.5 lb. in

USED ON	SOLID	REV	TOLERANCES		ENGLISH / METRIC		TOROMASTER INTERNATIONAL		200 HARVARD AVE STAMFORD, CT USA	
CUSTOM	351	A	ENGLISH	METRIC						
NEXT ASSY	N/A		.XX ±.015 IN .XXX ±.005 IN .XXXX ±.0002 IN	.X ±.3 MM .XX ±.13 MM .XXX ±.05 MM	DRAWN BY	DATE	MATERIAL N/A			
QUANTITY			ANGLES ±0.5° SURFACE 63 μ		RMF	11/5/02	TITLE HINGE INTERFACE			
PER ASSY, PCS	-				CHECKED BY	DATE	SIZE B		REV A	
TOTAL, PCS	-				DJC	11/5/02	SB 188 SB 351			
THIS INFORMATION IS PROPRIETARY TO TOROMASTER, INTL. THE POSSESSOR AGREES TO MAINTAIN IT IN CONFIDENCE, NOT REPRODUCING OR REVEALING IT IN WHOLE OR IN PART.					SCALE 1:1		SHEET 1 OF 1			